DEPARTMENT OF CHEMISTRY

R

CENTRE OF ADVANCE STUDIES IN CHEMISTRY PANJAB UNIVERSITY CHANDIGARH – 160014

Please send the quotations in two bid shape so as to reach undersigned on 05.06.2017.

- Technical bid consisting of all technical details alongwith commercial terms and conditions.
- Financial bid indication items-wise price for the items mentioned in the technical bid.
- And also send 2% cost of the Instrument as EMD quoted on the Quotation if the amount exceed Rs.50,000/-.
- The technical bid, financial bid and EMD should be sealed by the bidder in separate cover duly super scribed and all three sealed covers are to be put in a bigger cover which should also be sealed and duly super scribed. To reach on or before

Hot and Cold Split A.C.

- The unit should have a BEE 'three-star rating'.
- The rate of 4 KVA automatic stabilizer (AC input 150-260V, Output Voltage 220 ±10%) with complete copper winding should also be quoted along with
- Quoted rate must be inclusive of at site fitting with stand for ODU
- 1. The quality, make, packing and other particulars of each item should clearly be stated/indicated in your quotation.
- 2. It should clearly be stated whether the rates are inclusive / exclusive of SALE TAX etc.
- The rates of INSURANCE if any should be specified. The firm will be required to submit original payees receipt along with bill. NO PAYMENT OF INSURANCE CHARGES IS PERMISSIBLE UNLESS THESE REQUIREMENTS ARE COPLIED WITH.
- 4. THE QUOTATION SHOULD ALWAYS BE SUBMITTED IN DUPLICATE.
- 5. Please quote only for the items available in 'READY STOCK.'
- 6. Please quote only for the make required and strictly according to the specifications etc.
- 7. Please also indicate the DISCOUNT separately, if any.
- 8. While submitting the quotation please write on the OUTER ENVELOPE,

 'QUOTATIONS TO BE OPENED ON 06.06.2017 and the envelope be put
 in another envelope address to Dr. Amarjit Kaur, Investigator Incharge
 Scheme, Department of Chemistry, Panjab University, Chandigarh
 160014
- 9. Please send the quotation by post along with manufacturer/distributor certificate.